Serial No.: 09/776,191 Filed: February 2, 2001

## **AMENDMENTS TO THE CLAIMS:**

Please amend claims 34, 40-46, 48-57, 72-75, 91, 108-109, 113-116, 118-120 and 122-129. Please cancel claims 15, 21-33, 37-39, 47, 58-71, 76-90, 92-107, 110-112, 121 and 130-136 without prejudice or disclaimer. This listing of claims replaces all prior versions, and listings of claims, in the application.

## LISTING OF CLAIMS:

1. (Original) A substantially purified single chain polypeptide, comprising the protease domain of a type-II membrane-type serine protease (MTSP) or a catalytically active portion thereof, wherein:

the MTSP portion of the protein consists essentially of the protease domain of the MTSP or a catalytically active portion thereof.

- 2. (Previously presented) The substantially purified polypeptide of claim 1, wherein the MTSP is not expressed on endothelial cells.
- 3. (Original) The substantially purified polypeptide of claim 1, wherein the MTSP is not expressed on normal endothelial cells *in vivo*.
- 4. (Original) The substantially purified polypeptide of claim 1, wherein the MTSP is a human protein.
- 5. (Original) The substantially purified polypeptide of claim 1 that consists essentially of the protease domain of an MTSP or a catalytically active portion of the protease domain.
- 6. (Original) The substantially purified polypeptide of claim 1, wherein the expression and/or activity of the MTSP in tumor cells differs from its level of expression and/or activity in non-tumor cells.
- 7. (Original) The substantially purified polypeptide of claim 1, wherein the MTSP is detectable in a body fluid at a level that differs from its level in body fluids in a subject not having a tumor.
- 8. (Original) The substantially purified polypeptide of claim 1, wherein: the MTSP is present in a tumor; and
- a substrate or cofactor for the MTSP is expressed at levels that differ from a non-tumor cell in the same tissue.
- 9. (Original) The substantially purified polypeptide of claim 1, wherein: the MTSP exhibits altered substrate specificity in the tumor compared to its specificity in a non-tumor cell in the same tissue.

Serial No.: 09/776,191 Filed: February 2, 2001

10. (Original) The substantially purified polypeptide of claim 1, wherein the MTSP has an N-terminus that comprises IVNG, ILGG, VGLL or ILGG.

- 11. (Original) The substantially purified polypeptide of claim 1, wherein the MTSP is selected from among MTSP1, MTSP3, MTSP4 and MTSP6.
- 12. (Original) The substantially purified polypeptide of claim 1, wherein the protease domain comprises the sequence of amino acids set forth as amino acids 615-855 of SEQ ID No. 2, as amino acids 205-437 of SEQ ID NO. 4, as the amino acids in SEQ ID No. 6, or as amino acids 217-443 in SEQ ID No. 12.
- 13. (Original) The substantially purified polypeptide of claim 1 that has at least about 40%, 60%, 80%, 90% or 95% sequence identity with a protease domain that comprises the sequence of amino acids set forth as amino acids 615-855 of SEQ ID No. 2, as amino acids 205-437 of SEQ ID NO. 4, as the amino acids in SEQ ID No. 6, or as amino acids 217-443 in SEQ ID No. 12.
- 14. (Original) A polypeptide of claim 1, wherein the protease domain portion is encoded by a nucleic acid molecule that hybridizes under conditions of high stringency along its full length to a nucleic acid molecule comprising a sequence of nucleotides set forth in SEQ ID No: 1, 3, 5, 7, 9 or 11 or to a molecule that encodes the protein set forth in SEQ ID No: 2, 4, 6, 8, 10 or 12 or at least one domain thereof.
- 15. (Cancelled)
- 16. (Original) A mutein of the polypeptide of claim 1, wherein: up to about 90% of the amino acids are replaced with another amino acid; and the resulting polypeptide is a single chain and has catalytic activity at least 10% of the unmutated polypeptide.
- 17. (Original) The mutein of claim 16, wherein up to about 95% of the amino acids are replaced.
- 18. (Original) The mutein of claim 16, wherein the resulting polypeptide is a single chain and has catalytic activity at least 50% of the unmutated polypeptide.
- 19. (Original) A mutein of the polypeptide of claim 1, wherein a free Cys in the protease domain is replaced with another amino acid, whereby the resulting polypeptide exhibits proteolytic activity.
- 20. (Original) A mutein of the polypeptide of claim 1, wherein a free Cys in the protease domain is replaced with a serine.
- 21.- 33. (Cancelled)

Serial No.: 09/776,191 Filed: February 2, 2001

34. (Currently Amended) The polypeptide of claim 1, wherein the MTSP is selected from among corin, MTSP1, enterpeptidase, enteropeptidase, human airway trypsin-like protease (HAT), MTSP1, TMPRSS2, and TMPRSS4.

- 35. (Original) A conjugate, comprising:
  - a) a protein of claim 1, and
  - b) a targeting agent linked to the protein directly or via a linker.
- 36. (Original) The conjugate of claim 35, wherein the targeting agent permits
  - i) affinity isolation or purification of the conjugate;
  - ii) attachment of the conjugate to a surface;
  - iii) detection of the conjugate; or
  - iv) targeted delivery to a selected tissue or cell.
- 37. 39. (Cancelled)
- [[39.]]40. (Currently Amended) A solid support comprising two or more polypeptides of claim 1 linked thereto either directly or via a linker.
- [[40.]]41. (Currently Amended) The support of claim [[39,]]40, wherein the polypeptides comprise an array.
- [[41.]]42. (Currently Amended) The support of claim [[39,]]40, wherein the polypeptides comprise a plurality of different MTSP protease domains.
- [[42.]]43. (Withdrawn) A method for identifying compounds that modulate the protease activity of an MTSP, comprising: contacting a polypeptide of claim 1 with a substrate proteolytically cleaved by the MTSP, and, either simultaneously, before or after, adding a test compound or plurality thereof; measuring the amount of substrate cleaved in the presence of the test compound; and selecting compounds that change the amount cleaved compared to a control, whereby compounds that modulate the activity of the MTSP are identified.
- [[43.]]44. (Withdrawn) The method of claim [[42,]]43, wherein the test compounds are small molecules, peptides, peptidomimetics, natural products, antibodies or fragments thereof.
- [[44.]]45. (Withdrawn) The method of claim [[42,]]43, wherein a plurality of the test substances compounds are screened simultaneously.
- [[45.]]46. (Withdrawn) The method of claim [[42,]]43, wherein the change in the amount cleaved is assessed by comparing the amount cleaved in the presence of the test compound with the amount in the absence of the test compound.

Serial No.: 09/776,191 Filed: February 2, 2001

## 47. (Cancelled)

3;

[[47.]]48 (Withdrawn) The method of claim [[42,]]43, wherein a plurality of the polypeptides are linked to a solid support, either directly or via a linker.

- [[48.]]49. (Withdrawn) The method of claim [[42,]]43, wherein the polypeptides comprise an array.
- [[49.]]50. (Withdrawn) The method of claim [[42,]]43, wherein the polypeptides comprise a plurality of different MTSP proteases.
- [[50.]]51. (Withdrawn) A method of identifying a compound that specifically binds to a single chain protease domain of an MTSP, comprising: contacting a polypeptide of claim 1 with a test compound or plurality thereof under conditions conducive to binding thereof; and identifying compounds that specifically bind to the MTSP single chain protease domain or compounds that inhibit binding of a compound known to bind to the MTPS single chain protease domain, wherein the known compound is contacted with the polypeptide before, simultaneously with or after the test compound.
- [[51.]]52. (Withdrawn) The method of claims [[50,]]51, wherein the polypeptide is linked either directly or indirectly via a linker to a solid support.
- [[52.]]53. (Withdrawn) The method of claim [[50,]]51, wherein the test compounds are small molecules, peptides, peptidomimetics, natural products, antibodies or fragments thereof.
- [[53.]]54. (Withdrawn) The method of claim [[50,]]51, wherein a plurality of the test substances are screened for simultaneously.
- [[54.]]55. (Withdrawn) The method of claim [[51,]]52, wherein a plurality of the polypeptides are linked to a solid support.
- [[55.]]56. (Currently Amended) A substantially purified membrane-type serine protease 3 (MTSP3).
- [[56.]]57. (Currently Amended) The MTSP3 of claim [[43]]56 that is selected from the group consisting of:
  - a polypeptide encoded by the sequence of nucleotides set forth in SEQ ID No.

a polypeptide encoded by a sequence of nucleotides that hybridizes under conditions of high stringency to the sequence of nucleotides set forth in SEQ ID No. 3;

Serial No.: 09/776,191 Filed: February 2, 2001

a polypeptide that comprises the sequence of amino acids set forth as amino acids 205-437 of SEQ ID No. 4;

a polypeptide that comprises a sequence of amino acids having at least about 90% sequence identity with the sequence of amino acids set forth in SEQ ID No. 4; and a polypeptide encoded by a splice variant of the sequence of nucleotides set forth in SEQ ID No. 3.

58. – 71. (Cancelled)

[[71.]]72. (Currently Amended) A substantially purified membrane-type serine protease 4 (MTSP4).

[[72.]]73. (Currently Amended) The substantially purified MTSP4 of claim 72 that is an MTSP4-L or an MTSP4-S.

[[73.]]74. (Currently Amended) The MTSP4 of claim [[71]]72 that is selected from the group consisting of:

a polypeptide encoded by the sequence of nucleotides set forth in SEQ ID No. 7 or 9;

a polypeptide encoded by a sequence of nucleotides that hybridizes under conditions of high stringency to the sequence of nucleotides set forth in SEQ ID No. 7 or 9; a polypeptide that comprises the sequence of amino acids set forth in SEQ ID No. 6, 8 or 10; and

a polypeptide encoded by a splice variant of the sequence of nucleotides set forth in SEQ ID No. 7 or 9.

[[74.]]75. (Currently Amended) The MTSP4 of claim [[73]]74 that is an MTSP4-L or an MTSP4-S.

76. - 90 (Cancelled)

[[90.]]91. (Currently Amended) A substantially purified membrane-type serine protease 6 (MTSP6) selected from the group consisting of:

a polypeptide encoded by the sequence of nucleotides set forth in SEQ ID No. 11;

a polypeptide encoded by a sequence of nucleotides that hybridizes along the full length thereof under conditions of high stringency to the sequence of nucleotides set forth in SEQ ID No. 11;

a polypeptide that comprises the sequence of amino acids set forth as amino acids 217-443 of SEQ ID No. 12;

Serial No.: 09/776,191 Filed: February 2, 2001

a polypeptide encoded by a splice variant of the sequence of nucleotides set forth in SEQ ID No. 11.

92. – 107. (cancelled)

[[107.]]108. (Currently Amended) A conjugate, comprising:

- a) an MTSP3 or an MTSP4 or [[an]] the MTSP6 of claim [[90;]] 91; and
- b) a targeting agent linked to the protein directly or via a linker.

[[108.]]109. (Currently Amended) The conjugate of claim [[106,]]108, wherein the targeting agent permits

- i) affinity isolation or purification of the conjugate;
- ii) attachment of the conjugate to a surface;
- iii) detection of the conjugate; or
- iv) targeted delivery to a selected tissue or cell.

110. - 112. (Cancelled)

[[112.]]113. (Currently Amended) A solid support comprising two or more MTSP3 polypeptides and/or MTSP4 polypeptides and/or the MTSP6 polypeptides of claim 90 linked thereto either directly or via a linker

[[113.]]114. (Currently Amended) The support of claim [[112,]]113, wherein the polypeptides comprise an array.

[[114.]]115. (Withdrawn) A method for identifying compounds that modulate the protease activity of an MTSP selected from an MTSP3[[,]] or an MTSP4 or the MTSP6 of claim 91, [[90,]] comprising:

contacting the MTSP with a substrate proteolytically cleaved by the MTSP, and, either simultaneously, before or after, adding a test compound or plurality thereof; measuring the amount of substrate cleaved in the presence of the test compound; and

selecting compounds that change the amount cleaved compared to a control, whereby compounds that modulate the activity of the MTSP are identified.

[[115.]]116. (Withdrawn) The method of claim [[114,]]115, wherein the test compounds are small molecules, peptides, peptidomimetics, natural products, antibodies or fragments thereof.

117. (Canceled)

[[117.]]118 (Withdrawn) The method of claim [[114,]]115, wherein the change in the amount cleaved is assessed by comparing the amount cleaved in the presence of the test compound with the amount in the absence of the test compound.

Serial No.: 09/776,191 Filed: February 2, 2001

[[118.]]119. (Withdrawn) The method of claim [[114,]]115, wherein a plurality of the test substances are screened for simultaneously.

- [[119.]]120. (Withdrawn) The method of claim [[118,]]119, wherein a plurality of the polypeptides are linked to a solid support.
- 121. (Cancelled)
- [[121.]]122. (Withdrawn) A method of identifying a compound that specifically binds to a MTSP selected from an MTSP3, an MTSP4 and the MTSP6 of claim [[90,]]91, comprising:
  - contacting the MTSP polypeptide with a test compound or plurality thereof under conditions conducive to binding thereof; and identifying compounds that specifically [[binds]]bind to the MTSP.
- [[122.]]123. (Withdrawn) The method of any claims [[121,]] claim 122, wherein the polypeptide is linked either directly or indirectly via a linker to a solid support.
- [[123.]]124. (Withdrawn) The method of claim [[121,]]122, wherein the test compounds are small molecules, peptides, peptidomimetics, natural products, antibodies or fragments thereof.
- [[124.]]125. (Withdrawn) The method of claim [[121,]]122, wherein a plurality of the test substances are screened for simultaneously.
- [[125.]]126. (Withdrawn) The method of claim [[124,]]125, wherein a plurality of the polypeptides are linked to a solid support.
- [[126.]]127. (Currently Amended) An MTSP6 polypeptide, comprising amino acids set forth as amino acids 46-55 in SEQ ID No. 12 and/or amino acids 368-394 of SEQ ID No. 12, and that is encoded by a sequence of nucleic acids that hybridizes under moderate stringency to nucleic acid encoding the polypeptide set forth in SEQ ID No. 12.
- [[127.]]128. (Currently Amended) The polypeptide of claim [[126]]127 that comprises the amino acids set forth as amino acids 46-55 in SEQ ID No. 12 and/or amino acids 368-394 of SEQ ID No. 12, and that is encoded by a sequence of nucleic acids that hybridizes under high stringency along its full length or full length of the protease domain to nucleic acid encoding the polypeptide set forth in SEQ ID No. 12.
- [[128.]]129. (Currently Amended) The polypeptide of claim [[126,]]127, comprising the sequence of amino acids set forth in SEQ ID No. 12.
- 130. 136. (Cancelled)